SAFETY DATA SHEET

KOCH. KOCH AGRONOMIC SERVICES, LLC

1. Identification

Product identifier	SuperU® Stabilized Nitrogen Fertilizer
Other means of identification	
Product code	KAS_SuperU_US_EN
Recommended use	Fertilizer.
Recommended restrictions	Use in accordance with supplier's recommendations.
Manufacturer / Importer / Supplie	er / Distributor information
Manufacturer/Supplier Emergency	Koch Agronomic Services, LLC 4111 E 37th St N Wichita, KS 67220 US kochmsds@kochind.com 1.866.863.5550 For Chemical Emergency Call CHEMTREC day or night
	USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada - 1.703.527.3887 (collect calls accepted)
2. Hazard(s) identification	

Physical hazards Health hazards OSHA defined hazards	Not classified. Not classified. Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use personal protective equipment as required.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	Not classified.

Supplemental information

Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Urea	57-13-6	60 - 100
Non hazardous dye	Proprietary	< 3
Dicyandiamide	461-58-5	0.1 - 1
N-(n-butyl)-thiophosphoric triamide	94317-64-3	< 0.1
N-Methyl-2-pyrrolidone	872-50-4	< 0.1
Non hazardous component	Proprietary	< 0.1

Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.
4. First-aid measures	
Inhalation	Move person to fresh air. Get medical attention if any discomfort continues.
Skin contact	Wash off with plenty of water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eye. Remove contact lenses, if present and easy to do. Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Rinse mouth thoroughly if dust is ingested. Get medical attention if any discomfort occurs.
Most important symptoms/effects, acute and delayed	Symptoms can include irritation, redness, scratching of the cornea, and tearing.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Urea is non-combustible under most conditions. However, during a fire, irritating/toxic gases may be generated. The dust can be ignited at very high temperatures, but not expected to explode (minimum ignition temperature (cloud) = 900 deg C.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Fire-fighting equipment/instructions	Move containers from fire area if you can do it without risk. Use water spray to prevent dust formation, absorb heat, keep containers cool and protect fire-exposed material.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Avoid inhalation of dust and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. After removal flush contaminated area thoroughly with water.
	Never return spills to original containers for re-use.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.
7. Handling and storage	
Precautions for safe handling	Avoid inhalation of dust and contact with skin and eyes. Use only with adequate ventilation. Use work methods which minimize dust production. Keep the workplace clean.
Conditions for safe storage, including any incompatibilities	Store in a well-ventilated place. Store in a cool, dry place. Keep container tightly closed. Store away from incompatible materials. Long term storage at temperatures above 100°F (36°C) can adversely affect the efficacy of products containing N-(n-butyl)-thiophosphoric triamide.
8. Exposure controls/perse	onal protection
Occupational exposure limits	
US. OSHA Table Z-1 Limits f	for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Dust (CAS -)	PEL	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	1	Гуре		Value	Form
Dust (CAS -)	1	WA		5 mg/m3	Respirable fraction.
				15 mg/m3	Total dust. Total dust.
				50 millions of particle	Total dust.
				15 millions of particle	Respirable fraction.
US. ACGIH Threshold Li	mit Values				
Components	т	уре		Value	Form
Dust (CAS -)	T	WA		3 mg/m3	Respirable particles.
				10 mg/m3	Inhalable particles.
US. Workplace Environn	nental Exposure Lev	vel (WEEL) Guides	i		
Components	т	Туре		Value	Form
N-Methyl-2-pyrrolidone	T	WA		40 mg/m3	
(CAS 872-50-4)				10	
Liroa (CAS 57 13 6)	т	-WA		10 ppm	Total particulato
Urea (CAS 57-13-6)	I	vv n		10 mg/m3	Total particulate.
ological limit values	ura Indiana				
ACGIH Biological Expos	ure maices				
Components	Value	Determinant			me
N-Methyl-2-pyrrolidone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N- et hyl-2-pyrr olidone	m Urine	*	
* For compliant dataile al					
* - For sampling details, pl	ease see the source	document.			
cposure guidelines	l ! 4!				
US WEEL Guides: Skin o N-Methyl-2-pyrrolidon	•	Ca	n be absorbed th	rough the akin	
opropriate engineering				•	and minimize the rick of
ontrols	inhalation of du	st.		r Exposure Limits	s and minimize the risk of
dividual protection measur	•				
Eye/face protection	Use tight fitting	goggles if dust is ge	enerated.		
Skin protection	Dials of a subset				
Hand protection	supplier.		-		mmended by the glove
Other		Wear appropriate of		• • •	
Respiratory protection	limits (where ap been establishe exposure conce dust, use suitab	oplicable) or to an action ed), an approved resentrations are unkno ole respiratory equip used, a program sh	cceptable level (in spirator must be v own. In case of in oment with particl	n countries where worn. Wear air su adequate ventila e filter. In the Uni	v recommended exposure e exposure limits have not upplied respiratory protection tion or risk of inhalation of ited States of America, if iance with OSHA 29 CFR
Thermal hazards	Wear appropria	te thermal protectiv	e clothing, when	necessary.	
eneral hygiene onsiderations	and before eating	ng, drinking, and/or	smoking. Routin	ely wash work cl	after handling the material othing and protective I industrial hygiene and safet
Physical and chemic	al properties				
opearance	Light to medium	n blue granules			
Physical state	Solid.				
Form	Granules.				
Color	Light to medium	n blue			
	g to mouldin				

Slight sulfurous Not available.

Odor

Odor threshold

	7.2(100/ in water)		
рН	7.2 (10% in water)		
Melting point/freezing point	275 °F (135 °C) Decomposes		
Initial boiling point and boiling range	Not Applicable.		
Flash point	Not available.		
Evaporation rate	Not Applicable.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not Applicable.		
Flammability limit - upper (%)	Not Applicable.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not Applicable.		
Vapor density	Not Applicable.		
Relative density	1.32		
Solubility(ies)	Soluble.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information Density	47.00 lb/ft ³		
10. Stability and reactivity			

Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under normal temperature conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Extreme temperatures.
Incompatible materials	Acids. Strong reducing agents. Strong oxidizing agents.
Hazardous decomposition products	During combustion: Carbon oxides. Nitrogen oxides. Sulfur oxides.

11. Toxicological information

Information on likely routes of exposure

Ingestion	May cause discomfort if swallowed.
Inhalation	High concentrations of dust may irritate throat and respiratory system and cause coughing.
Skin contact	Dust may irritate skin.
Eye contact	Dust may irritate the eyes.
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms can include irritation, redness, scratching of the cornea, and tearing.

Information on toxicological effects

Acute toxicity	May cause discomfort if swallowed.		
Components	Species	Test Results	
N-(n-butyl)-thiophosphoric	c triamide (CAS 94317-64-3)		
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg	
Oral			
LD50	Rat	> 2823 mg/kg	

Components	Species		Test Results	
N-Methyl-2-pyrrolidone (CAS 872	2-50-4)			
Acute				
Dermal LD50	Rabbit		8000 mg/kg	
Inhalation	Rabbit		0000 mg/kg	
LC50	Rat	Rat > 5.1 mg/l		
Oral			-	
LD50	Rat		3914 mg/kg	
Urea (CAS 57-13-6)				
Acute				
Oral				
LD50	Rat		14300 mg/kg	
Skin corrosion/irritation	-	irritation through mechanical al		
Serious eye damage/eye irritation	Product due	st or powder may cause mecha	nical eye irritation.	
Respiratory sensitization	Based on a	vailable data, the classification	criteria are not met.	
Skin sensitization	Not a skin s	ensitizer.		
Germ cell mutagenicity	Based on a	vailable data, the classification	criteria are not met.	
Carcinogenicity	This produc	t is not considered to be a carc	inogen by IARC, ACGIH, NTP, or OSHA.	
Reproductive toxicity		vailable data, the classification		
Specific target organ toxicity - single exposure	Inhalation o	Inhalation of dusts may cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	Based on a	Based on available data, the classification criteria are not met.		
Aspiration hazard	Not an aspi	Not an aspiration hazard.		
Chronic effects	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.			
Further information	No other specific acute or chronic health impact noted.			
12. Ecological informatio	n			
Ecotoxicity	The produc		ntally hazardous. However, this does not exclude the nave a harmful or damaging effect on the environment.	
Components	, ,	Species	Test Results	
N-(n-butyl)-thiophosphoric tri	amide (CAS 94	4317-64-3)		
Aquatic				
Crustacea	EC50	Daphnia	290 mg/l, 48 hours	
Fish	LC50	Fish	1140 mg/l, 96 hours	
N-Methyl-2-pyrrolidone (CAS Aquatic	872-50-4)			
Crustacea	EC50	Daphnia magna	> 1000 mg/l, 24 hours	
Urea (CAS 57-13-6) Aquatic				
Fish	LC50	Leuciscus idus	> 6810 mg/l, 96 hours	
Persistence and degradability	No data ava			
Bioaccumulative potential	No data ava			
Partition coefficient n-octa				
N-Methyl-2-pyrrolidone (CAS Urea (CAS 57-13-6)		-0.54 -2.11		

Mobility in soilThis product is water soluble and may disperse in soil.Other adverse effectsNo data available.

13. Disposal considerations

Disposal instructions	Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.

Waste from residues / unused products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

ΙΑΤΑ

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3) 1.0 % One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

norfund Amondments and Resulterization Act of 1986 (SARA)

Superfund Amendments and Re	eauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Not regulated.	n 112 Hazardous Air Pollutants (HAPs) List n 112(r) Accidental Release Prevention (40 CFR 68.130)
Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.
US state regulations	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
US. Massachusetts RTH	Substance List
N-Methyl-2-pyrrolido	
•	r and Community Right-to-Know Act
N-Methyl-2-pyrrolidone (CAS 872-50-4) 500 lbs US. Pennsylvania RTK - Hazardous Substances	
•	
N-Methyl-2-pyrrolido US. Rhode Island RTK	ne (CAS 872-50-4)
N-Methyl-2-pyrrolido	ne (CAS 872-50-4)
US. California Proposition 65	
US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance	

N-Methyl-2-pyrrolidone (CAS 872-50-4)

International Inventories

Country(s) or region

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version # NFPA Ratings	06-September-2013 - 01 100
List of abbreviations	LC50: Lethal Concentration, 50%. LD50: Lethal Dose, 50%.
References	IARC: International Agency for Research on Cancer. ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2009) National Toxicology Program (NTP) Report on Carcinogens
Disclaimer	NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.