SAFETY DATA SHEET



FERTILIZER

1. Identification

Product identifier	Feed Grade Urea Liquor	
Other means of identification		
Product code	KF_FGUreaLiquor_US_EN	
Synonyms	Feed Grade Urea Liquor 50%	
Recommended use	Animal Feed Ingredient	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company Name	Koch Fertilizer, LLC	
	4111 E 37th Street North	
	PO Box 2219	
	Wichita, KS, 67201-2219	
	kochmsds@kochind.com	
	1-316-828-7672	
Emergency	For Chemical Emergency	
	Call CHEMTREC day or night	
	1.800.424.9300	
	Mexico - 1.800.681.9531	
	Outside USA/Canada	
	1.703.527.3887	
	(collect calls accepted)	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3

OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Harmful to aquatic life.
Precautionary statement	
Prevention	Avoid release to the environment.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Urea	57-13-6	25 - 60
Water	7732-18-5	40 - 75

Feed Grade Urea Liquor

Biuret	108-19-0 < 0.7	
Free Ammonia	7664-41-7 < 0.5	
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are percent by volume. This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK conter on specified sales orders, customer invoices, or product specification sheets obtained from supplier.	
4. First-aid measures		
nhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
škin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
ye contact	Rinse with water. Get medical attention if irritation develops and persists.	
ngestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
ndication of immediate nedical attention and special reatment needed	Treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Insuitable extinguishing nedia	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from he chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials. Mo containers from fire area if you can do so without risk.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release meas	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. L authorities should be advised if significant spillages cannot be contained. For personal protect see section 8 of the SDS.	
lethods and materials for	Prevent product from entering drains.	
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where th possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the S	
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge ir drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.	
Conditions for safe storage, ncluding any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
Free Ammonia (CAS 7664-41-7)	PEL	35 mg/m3	
		50 ppm	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	
Free Ammonia (CAS 7664-41-7)	STEL	35 ppm	
	TWA	25 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Free Ammonia (CAS 7664-41-7)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
	ntal Exposure Level (WEEL) Guides	\/_l	Form
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
logical limit values	No biological exposure limits noted	for the ingredient(s).	
oosure guidelines	Follow standard monitoring procedu	res.	
propriate engineering htrols	Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limit and minimize the risk of inhalation of vapors and mists.		
ividual protection measure	s, such as personal protective equipr	nent	
Eye/face protection	Wear approved safety glasses or go	oggles.	
Skin protection			
Hand protection	Neoprene gloves are recommended change is advisable. Suitable gloves		•
Other	Wear appropriate clothing to preven	t repeated or prolonged skin co	ntact.
Respiratory protection	If engineering controls do not mainta limits (where applicable) or to an ac been established), an approved res exposure concentrations are unknow vapors, use suitable respiratory equ In the United States of America, if re compliance with OSHA 29 CFR 191	ceptable level (in countries whe pirator must be worn. Wear air s wn. In case of inadequate ventil ipment. espirators are used, a program s	re exposure limits have not supplied respiratory protection ation or risk of inhalation of
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safe practice.		

9. Physical and chemical properties

Appearance	Colorless liquid.
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Slight ammonia.
Odor threshold	Not available.
рН	7 - 10 (depending on free Ammonia content)
Melting point/freezing point	Not available.
Initial boiling point and boiling	223 °F (106.11 °C) (50% urea solution)
range	

Feed Grade Urea Liquor

Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.14 (50% urea solution) 1.18 (70% urea solution)
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	This product may react with strong oxidizing agents.
Chemical stability	Normally stable. May gradually give off ammonia.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	High temperatures. Contact with incompatible materials.
Incompatible materials	Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates causing fire and explosion hazard.
Hazardous decomposition products	Ammonia. Nitrogen oxides (NOx). Biuret.
11. Toxicological informat	lion
Information on likely routes of e	xposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and	Direct contact with eyes may cause temporary irritation.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components	Species	Test Results
Free Ammonia (CAS 7664-41-	-7)	
Acute		
Inhalation		
LC50	Rat	5.1 mg/l, 1 Hours

Components	Species	Test Results	
Oral			
LD50	Rat	350 mg/kg as Ammonium hydroxide	
Urea (CAS 57-13-6)			
Acute			
Oral			
LD50	Rat	14300 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irrita	tion.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irrita	ation.	
Respiratory or skin sensitization	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitiz	ation.	
Germ cell mutagenicity	No data available to indicate product or any compo mutagenic or genotoxic.	onents present at greater than 0.1% are	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed.			
NTP Report on Carcinogens	6		
Not listed.	d Substances (29 CFR 1910.1001-1050)		
Not regulated.			
Reproductive toxicity	This product is not expected to cause reproductive	or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	1		
Ecotoxicity	Harmful to aquatic life.		
• ·			

Harmful	to	ad
nannan	ιU	uy

Components		Species	Test Results
Free Ammonia (CAS 7664-4	1-7)		
Aquatic			
Fish	LC50	Chinook salmon (Oncorhynchus tshawytscha)	0.43 - 0.47 mg/l, 96 hours
Urea (CAS 57-13-6)			
Aquatic			
Algae	EC10	Algae	47 mg/l, 192 hours
Crustacea	LC50	Water flea (Daphnia magna)	> 10000 mg/l, 24 hours
Fish	LC50	Leuciscus idus	> 6810 mg/l, 96 hours
rsistence and degradability	No data avail	able.	
accumulative potential			
Partition coefficient n-octa Urea (CAS 57-13-6)	nol / water (log	Kow) -2.11	
	This was done.		
bility in soil	This product is water soluble and may disperse in soil.		
ner adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose in accordance with applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

CERCLA Hazardous Substance List (40 CFR 302.4)

Free Ammonia (CAS 7664-41-7)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Free Ammonia	7664-41-7	100	500		
SARA 311/312 Haza chemical	rdous Yes				
SARA 313 (TRI repo Not regulated.	orting)				
Other federal regulation	S				
Clean Air Act (CAA)	Section 112 Hazard	ous Air Pollutai	nts (HAPs) List		
Not regulated.					
Clean Air Act (CAA)	Section 112(r) Accid	lental Release I	Prevention (40 CFR 6	8.130)	
Free Ammonia (CAS 7664-41-7)				
Safe Drinking Water (SDWA)	r Act Not regulat	ed.			

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

Free Ammonia (CAS 7664-41-7)

US. New Jersey Worker and Community Right-to-Know Act

Free Ammonia (CAS 7664-41-7)

- US. Pennsylvania Worker and Community Right-to-Know Law
- Free Ammonia (CAS 7664-41-7)
- US. Rhode Island RTK

Free Ammonia (CAS 7664-41-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	20-August-2019
Revision date	-
Version #	01
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0
NFPA ratings	

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.