KOCH.

SAFETY DATA SHEET

1. Identification

Product identifier UAN Custom Blend 28-0-0+4S

Other means of identification

Product code KF_UANCustBlend_28004S_US_EN

Recommended use Fertilizer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information
Company Name
Koch Fertilizer, LLC

4111 E 37th Street North

PO Box 2219

Wichita, KS, 67201-2219 kochmsds@kochind.com

1-316-828-7672

Emergency For Chemical Emergency

Call CHEMTREC day or night

1.800.424.9300

Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

(collect calls accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Ammonium nitrate	6484-52-2	25 - 45
Urea	57-13-6	20 - 35
Water	7732-18-5	10 - 30
Ammonium thiosulphate	7783-18-8	15 - 20

UAN Custom Blend 28-0-0+4S SDS US

936586 Version #: 01 Revision date: - Issue date: 19-July-2018

Free Ammonia 7664-41-7 < 0.15

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.

4. First-aid measures

Inhalation

Move person to fresh air. If the affected person is not breathing, apply artificial respiration. Get medical attention if discomfort develops or persists.

Skin contact Eve contact

Immediately flush skin with plenty of water. Get medical attention if irritation develops and persists. Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids wide apart. Get medical attention if irritation develops or persists.

Ingestion

media

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms include itching, burning, redness, and tearing of eyes.

Indication of immediate medical attention and special Treat symptomatically.

treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Use fire-extinguishing media appropriate for surrounding materials.

None known.

Specific hazards arising from the chemical

Slight fire hazard. When water evaporates from this product residues may contain ammonium nitrate, and solid ammonium nitrate when sensitized during decomposition may become unstable and explosive.

Special protective equipment and precautions for firefighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do it without risk.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see Section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors/spray and contact with skin and eyes. Use only with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

UAN Custom Blend 28-0-0+4S SDS US

936586 Version #: 01 Revision date: -Issue date: 19-July-2018

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits	for Air Contaminants	(29 CFR 1910.1000)

Components	Туре	Value	
Free Ammonia (CAS 7664-41-7)	PEL	35 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	
Free Ammonia (CAS STEL 7664-41-7)	STEL	35 ppm	
	TWA	25 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Free Ammonia (CAS 7664-41-7)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
US. Workplace Environmental Ex	kposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Follow standard monitoring procedures.

A managination and a managination of the control of

Appropriate engineering controls

Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mist. Provide adequate general and local exhaust ventilation. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety glasses or goggles.

Skin protection

Hand protection Chemical resistant gloves are recommended. Be aware that the liquid may penetrate the gloves.

Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of

vapors, use suitable respiratory equipment.

In the United States of America, if respirators are used, a program should be instituted to assure

compliance with OSHA 29 CFR 1910.134 and ANSI Z88.2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material

considerations and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

9. Physical and chemical properties

Appearance Colorless liquid.

Physical state
Form
Liquid. Liquid
Color
Colorless to white.

Odor
Slight ammonia.

Odor threshold
PH
Not available.

Melting point/freezing point
Not available.

UAN Custom Blend 28-0-0+4S SDS US

936586 Version #: 01 Revision date: - Issue date: 19-July-2018

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Flammability (solid, gas)

Not available.

Not applicable.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure Not available.
Vapor density Not available.
Relative density Not available.

Relative density Solubility(ies)

Solubility (water) Soluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Heat, sparks, flames, elevated temperatures. UAN will form

urea nitrate when mixed with nitric acid at low pH. Urea nitrate may become unstable and/or

explosive under certain conditions.

Incompatible materials Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

Hazardous decomposition

products

Carbon oxides. Nitrogen oxides (NOx). Ammonia. Biuret. Cyanide compounds.

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors and spray mist may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged or repeated skin contact may cause irritation.

Eye contact May cause eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include itching, burning, redness, and tearing of eyes.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

UAN Custom Blend 28-0-0+4S SDS US

936586 Version #: 01 Revision date: - Issue date: 19-July-2018

Components Species Test Results

Ammonium nitrate (CAS 6484-52-2)

Acute Dermal

LD50 Rat > 5000 mg/kg

Inhalation

Dust

LC50 Rat > 88.8 mg/l, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

Ammonium thiosulphate (CAS 7783-18-8)

<u>Acute</u>

Oral

LD50 Rat 2890 mg/kg

Free Ammonia (CAS 7664-41-7)

Acute

Inhalation

LC50 Rat 5.1 mg/l, 1 Hours

Oral

LD50 Rat 350 mg/kg as Ammonium hydroxide

Urea (CAS 57-13-6)

<u>Acute</u>

Oral

LD50 Rat 14300 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eve damage/eve

irritation

May cause eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

UAN Custom Blend 28-0-0+4S SDS US

Species Test Results Components Ammonium nitrate (CAS 6484-52-2) **Aquatic** Acute Crustacea EC50 Daphnia magna 555 mg/l, 24 Hours Fish LC50 Oncorhynchus mykiss > 100 mg/l, 96 Hours Free Ammonia (CAS 7664-41-7) Aquatic 0.43 - 0.47 mg/l, 96 hours Fish LC50 Chinook salmon (Oncorhynchus tshawytscha) Urea (CAS 57-13-6) Aquatic

Persistence and degradability

Bioaccumulative potential

Crustacea

Algae

Fish

Partition coefficient n-octanol / water (log Kow)

Urea (CAS 57-13-6) -2.11

EC10

LC50

LC50

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

Water flea (Daphnia magna)

potential, endocrine disruption, global warming potential) are expected from this component.

47 mg/l, 192 hours

> 10000 mg/l, 24 hours

> 6810 mg/l, 96 hours

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Algae

Leuciscus idus

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Free Ammonia (CAS 7664-41-7) Listed.

SARA 304 Emergency release notification

Free Ammonia (CAS 7664-41-7) 100 LBS

UAN Custom Blend 28-0-0+4S SDS US

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
--------------------------	------------------------------------	--	--	--

Free Ammonia 7664-41-7 100 500

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Ammonium nitrate	6484-52-2	25 - 45
Ammonium thiosulphate	7783-18-8	15 - 20

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Free Ammonia (CAS 7664-41-7)

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Ammonium nitrate (CAS 6484-52-2) Ammonium thiosulphate (CAS 7783-18-8) Free Ammonia (CAS 7664-41-7)

US. New Jersey Worker and Community Right-to-Know Act

Ammonium nitrate (CAS 6484-52-2) Free Ammonia (CAS 7664-41-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Ammonium nitrate (CAS 6484-52-2) Ammonium thiosulphate (CAS 7783-18-8) Free Ammonia (CAS 7664-41-7)

US. Rhode Island RTK

Free Ammonia (CAS 7664-41-7)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Free Ammonia (CAS 7664-41-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

UAN Custom Blend 28-0-0+4S SDS US

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) No Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

19-July-2018 Issue date

Revision date Version # 01

Health: 1 **HMIS®** ratings

> Flammability: 1 Physical hazard: 0

NFPA ratings



EC50: Effective Concentration, 50%. List of abbreviations

LC50: Lethal Concentration, 50%.

EPA: AQUIRE database References

HSDB® - Hazardous Substances Data Bank

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.

UAN Custom Blend 28-0-0+4S SDS US