KOCH.

SAFETY DATA SHEET

1. Identification

Product identifier UAN Custom Blend 28-0-0 +5S

Other means of identification

Product code KF UANCust28005S US EN

Recommended use Fertilizer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information
Company Name
Koch Fertilizer, LLC

4111 E 37th Street North

PO Box 2219

Wichita, KS, 67201-2219 kochmsds@kochind.com

1-316-828-7672

Emergency For Chemical Emergency

Call CHEMTREC day or night

1.800.424.9300

Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

(collect calls accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % |
|----------------------|------------|---------|
| Ammonium nitrate | 6484-52-2 | 25 - 45 |
| Urea | 57-13-6 | 20 - 35 |
| Water | 7732-18-5 | 15 - 40 |
| Ammonium thiosulfate | 7783-18-8 | 8 - 14 |

| Ammonium hydroxide | 1336-21-6 | < 0.5 |
|--------------------|-----------|-------|
| Ammonium sulfate | 7783-20-2 | < 0.5 |
| Free ammonia | 7664-41-7 | < 0.2 |

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from

supplier.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate

Treat symptomatically.

medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

General information

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Slight fire hazard. When water evaporates from this product residues may contain ammonium nitrate, and solid ammonium nitrate when sensitized during decomposition may become unstable and explosive.

Heating may cause the release of ammonia vapors. NH3 (16-25%) may form flammable mixtures with air. If heated beyond dryness, some hydrogen sulfide gas may be given off.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

This material will not burn unless it is evaporated to dryness.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is soluble in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

| IIS OSHA Table | 7-1 l imite f | or Air Contaminan | ts (29 CFR 1910 1000) |
|----------------|---------------|-------------------|-----------------------|

| Components | Туре | Value | |
|---------------------------------------|----------------------------|----------|--------------------|
| Free ammonia (CAS 7664-41-7) | PEL | 35 mg/m3 | |
| | | 50 ppm | |
| US. ACGIH Threshold Limit Values | 6 | | |
| Components | Туре | Value | |
| Ammonium hydroxide (CAS 1336-21-6) | STEL | 35 ppm | |
| | TWA | 25 ppm | |
| Free ammonia (CAS 7664-41-7) | STEL | 35 ppm | |
| | TWA | 25 ppm | |
| US. NIOSH: Pocket Guide to Chem | nical Hazards | | |
| Components | Туре | Value | |
| Ammonium hydroxide (CAS 1336-21-6) | STEL | 27 mg/m3 | |
| | | 35 ppm | |
| | TWA | 18 mg/m3 | |
| | | 25 ppm | |
| Free ammonia (CAS 7664-41-7) | STEL | 27 mg/m3 | |
| | | 35 ppm | |
| | TWA | 18 mg/m3 | |
| | | 25 ppm | |
| US. Workplace Environmental Exp | oosure Level (WEEL) Guides | | |
| Components | Туре | Value | Form |
| Urea (CAS 57-13-6) | TWA | 10 mg/m3 | Total particulate. |
| | | | |

Biological limit values Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mist. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Chemical resistant gloves are recommended. Be aware that the liquid may penetrate the gloves. Hand protection

Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134 and

ANSI Z88.2.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

9. Physical and chemical properties

Appearance

Liquid. Physical state Liquid. **Form** Color Clear.

Odor Slight ammonia. **Odor threshold** Not available.

6 - 9 pН

Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Soluble. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

Stable under normal temperature conditions and recommended use. **Chemical stability**

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Heat, sparks, flames, elevated temperatures.

Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates Incompatible materials

causing fire and explosion hazard.

Hazardous decomposition

products

Ammonia. Biuret. Carbon oxides. Cyanide compounds. Hydrogen sulfide. Nitrogen oxides (NOx).

Sulphur oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

UAN Custom Blend 28-0-0 +5S 946059 Version #: 01 Revision date: -Issue date: 08-October-2018 Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

Ammonium hydroxide (CAS 1336-21-6)

Acute Oral

LD50 Rat 350 mg/kg

Ammonium nitrate (CAS 6484-52-2)

Acute Dermal

LD50 Rat > 5000 mg/kg

Inhalation

Dust

LC50 Rat > 88.8 mg/l, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

Ammonium sulfate (CAS 7783-20-2)

<u>Acute</u>

Inhalation

LC50 Rat > 1000 mg/m3, 8 hours

Oral

LD50 Rat 2840 mg/kg

Ammonium thiosulfate (CAS 7783-18-8)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Inhalation

Dust

LC66 Rat > 2260 mg/m3, 4 Hours

Oral

LD50 Rat 2890 mg/kg

Free ammonia (CAS 7664-41-7)

Acute

Inhalation

LC50 Rat 5.1 mg/l, 1 Hours

Oral

LD50 Rat 350 mg/kg as Ammonium hydroxide

Urea (CAS 57-13-6)

<u>Acute</u>

Oral

LD50 Rat 14300 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

UAN Custom Blend 28-0-0 +5S 946059 Version #: 01 Revision date: - Issue date: 08-October-2018 SDS US

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | | Species | Test Results |
|----------------------|-------------------|---|----------------------------|
| Ammonium hydroxide | (CAS 1336-21-6) | | |
| Aquatic | | | |
| Crustacea | LC50 | Daphnia magna | 0.66 mg/l, 48 hours |
| Ammonium nitrate (CA | AS 6484-52-2) | | |
| Aquatic | | | |
| Acute | | | |
| Crustacea | EC50 | Daphnia magna | 555 mg/l, 24 Hours |
| Fish | LC50 | Oncorhynchus mykiss | > 100 mg/l, 96 Hours |
| Ammonium sulfate (C. | AS 7783-20-2) | | |
| Fish | LC50 | Salmo gairdneri | 173 mg/l, 96 hours |
| Aquatic | | | |
| Algae | EC50 | Chlorella vulgaris | 2700 mg/l, 18 days |
| Crustacea | EC50 | Water flea (Daphnia magna) | > 100 mg/l, 96 hours |
| Ammonium thiosulfate | e (CAS 7783-18-8) | | |
| Aquatic | | | |
| Acute | | | |
| Crustacea | LC50 | Daphnia magna | 101 mg/l, 48 Hours |
| Fish | LC50 | Pimephales promelas | 96.2 mg/l, 96 Hours |
| Chronic | | | |
| Algae | EC50 | Chlorella vulgaris | 2700 mg/l, 18 days |
| Free ammonia (CAS 7 | 7664-41-7) | | |
| Aquatic | | | |
| Fish | LC50 | Chinook salmon (Oncorhynchus tshawytscha) | 0.43 - 0.47 mg/l, 96 hours |
| Urea (CAS 57-13-6) | | | |
| Aquatic | | | |
| Algae | EC10 | Algae | 47 mg/l, 192 hours |
| Crustacea | LC50 | Water flea (Daphnia magna) | > 10000 mg/l, 24 hours |
| Fish | LC50 | Leuciscus idus | > 6810 mg/l, 96 hours |
| | | | |

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Urea (CAS 57-13-6) -2.11

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ammonium hydroxide (CAS 1336-21-6) Listed. Free ammonia (CAS 7664-41-7) Listed.

SARA 304 Emergency release notification

Free ammonia (CAS 7664-41-7) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

| Chemical name | CAS number | Reportable quantity (pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold planning quantity, upper value (pounds) | |
|---------------|------------|------------------------------------|--------------------------------------|--|--|--|
| | | | | | | |

Free ammonia 7664-41-7 100 500

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|------------------|------------|----------|--|
| Ammonium nitrate | 6484-52-2 | 25 - 45 | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Free ammonia (CAS 7664-41-7)

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Ammonium hydroxide (CAS 1336-21-6) Ammonium nitrate (CAS 6484-52-2) Ammonium sulfate (CAS 7783-20-2)

Ammonium thiosulfate (CAS 7783-18-8) Free ammonia (CAS 7664-41-7)

US. New Jersey Worker and Community Right-to-Know Act

Ammonium hydroxide (CAS 1336-21-6) Ammonium nitrate (CAS 6484-52-2) Free ammonia (CAS 7664-41-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Ammonium hydroxide (CAS 1336-21-6) Ammonium nitrate (CAS 6484-52-2) Ammonium sulfate (CAS 7783-20-2) Ammonium thiosulfate (CAS 7783-18-8) Free ammonia (CAS 7664-41-7)

US. Rhode Island RTK

Ammonium sulfate (CAS 7783-20-2) Free ammonia (CAS 7664-41-7)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Free ammonia (CAS 7664-41-7)

International Inventories

Country(s) or region

| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
|-----------------------------|--|-----|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Inventory name

Issue date 08-October-2018

Revision date - Version # 01

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

UAN Custom Blend 28-0-0 +5S SDS US

946059 Version #: 01 Revision date: - Issue date: 08-October-2018

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NFPA ratings



List of abbreviations

Disclaimer

LC50: Lethal Concentration, 50%. LD50: Lethal Dose, 50%.

NOTICE: The information contained in this document is based on data considered to be accurate as of the preparation date of this Safety Data Sheet (SDS) and was prepared pursuant to applicable Government regulation(s). This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the above data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided about any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. Purchasers and users of the product are responsible for determining that this product is suitable for the intended use and application. No responsibility can be assumed by vendor for any damage or injury resulting from failure to adhere to recommended uses, or from any hazards inherent to the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product should explicitly advise their employees, agents, contractors and customers who will use the product of this SDS.