



### 1. Identification

KOCH.

Product identifier	Carbon Dioxide (Food Grade)	
Other means of identification		
Product number	KF_CO2_US_EN	
CAS number	124-38-9	
Recommended use	Food grade.	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company Name	Koch Fertilizer, LLC	
	4111 E 37th Street North	
	PO Box 2219	
	Wichita, KS, 67201-2219	
	kochmsds@kochind.com	
	1-316-828-7672	
Emergency	For Chemical Emergency	
	Call CHEMTREC day or night	
	1.800.424.9300	
	Mexico - 1.800.681.9531	
	Outside USA/Canada	
	1.703.527.3887	
	(collect calls accepted)	
2. Hazard(s) identification		
Physical hazards	Gases under pressure	Liquefied gas
Health hazards	Not classified.	

Simple asphyxiant

•		

Signal word	Warning
Hazard statement	Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.
Precautionary statement	
Prevention	Use only with adequate ventilation. Do not enter storage areas or confined spaces unless adequately ventilated.
Response	Wash hands after handling.
Storage	Keep container tightly closed. Protect from sunlight. Store in a well-ventilated place.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

#### Substances

**OSHA** defined hazards

Label elements

Chemical name	Common name and synonyms	CAS number	%
Carbon Dioxide (Food Grade)		124-38-9	99 - 100
Composition comments	All concentrations are in percent by weight unles percent by volume.	ss ingredient is a gas. Ga	s concentrations are
4. First-aid measures			
nhalation	Remove from further exposure. For those provid others. Use adequate respiratory protection. If re unconsciousness occurs, seek immediate media ventilation with a mechanical device or use mou medical attention immediately.	espiratory tract irritation, or cal assistance. If breathing	lizziness, nausea, or g has stopped, assist
Skin contact	If frostbite occurs, immerse affected area in war immersed for 20 to 40 minutes. Get medical atte		05°F/41°C). Keep
Eye contact	If frostbite occurs, immediately flush eyes with p for at least 15 minutes. If easy to do, remove co		exceeding 105°F/41°
ngestion	Not likely, due to the form of the product.		
Most important symptoms/effects, acute and delayed	Convulsions. Headache. Dizziness. Fatigue. Na suffocation from lack of oxygen. Symptoms may may not be aware of asphyxiation. Asphyxiation and so rapidly that victim may be unable to prote	include loss of mobility/c may bring about unconso	onsciousness. Victim
ndication of immediate nedical attention and special reatment needed	Provide general supportive measures and treat	symptomatically.	
Seneral information	Ensure that medical personnel are aware of the protect themselves.	material(s) involved, and	take precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Use fire-extinguishing media appropriate for sur	rounding materials.	
Insuitable extinguishing nedia	None known.		
Specific hazards arising from he chemical	Pressurized container may explode when expos	ed to heat or flame.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prot	ective clothing must be w	orn in case of fire.
Fire fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not to heat. If tank, rail car or tank truck is involved i directions; also consider initial evacuation for 80 away from tanks engulfed in flame. Move contai Use water spray to cool unopened containers. F holder or monitor nozzles, if possible. If not, with	n a fire, ISOLATE for 800 0 meters (1/2 mile) in all o ners from fire area if you for massive fire in cargo a	directions. ALWAYS can do so without risl rea, use unmanned h
General fire hazards	Contents under pressure. Pressurized container	may explode when expo	sed to heat or flame.
6. Accidental release meas	ures		
Personal precautions, protective equipment and emergency procedures	In the event of a leak evacuate all personnel unt safe levels. Keep unnecessary personnel away. Keep out of low areas. Many gases are heavier low or confined areas (sewers, basements, tank clothing during clean-up. Emergency personnel touch damaged containers or spilled material un Ventilate closed spaces before entering them. L spillages cannot be contained. For personal pro-	Keep people away from a than air and will spread a s). Wear appropriate prot need self-contained breat less wearing appropriate ocal authorities should be	and upwind of spill/le. long ground and colle ective equipment and thing equipment. Do f protective clothing. advised if significant
Methods and materials for containment and cleaning up	Isolate area until gas has dispersed. This production is without risk. For waste disposal, see sections and the section of the	ct is miscible in water. Sto	
Environmental precautions	Avoid discharge into drains, water courses or or		

## 7. Handling and storage

Precautions for safe handling	Keep away from heat/sparks/open flames/hot surfaces No smoking. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Purge air from system before introducing gas. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Avoid prolonged exposure. Do not enter storage areas or confined spaces unless adequately ventilated. Use only outdoors or in a well-ventilated area. Oxygen concentration should not fall below 19.5 % at sea level (pO2 = 135 mmHg). Mechanical ventilation or local exhaust ventilation may be required. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

Material	s for Air Contaminants (29 CFR 1910. <sup>.</sup> Type	Value
Carbon Dioxide (Food Grade) (CAS 124-38-9)	PEL	9000 mg/m3
		5000 ppm
US. ACGIH Threshold Lim	iit Values	
Material	Туре	Value
Carbon Dioxide (Food Grade) (CAS 124-38-9)	STEL	30000 ppm
	TWA	5000 ppm
US. NIOSH: Pocket Guide	to Chemical Hazards	
Material	Туре	Value
Carbon Dioxide (Food Grade) (CAS 124-38-9)	STEL	54000 mg/m3
		30000 ppm
	TWA	9000 mg/m3
		5000 ppm
ological limit values	No biological exposure limits noted f	for the ingredient(s).
propriate engineering ntrols	applicable, use process enclosures,	used. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mmended exposure limits. If exposure limits have not beer s to an acceptable level.
lividual protection measure	s, such as personal protective equipn	nent
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistant	gloves.
Skin protection		
Other	Wear suitable protective clothing.	
Respiratory protection	In case of insufficient ventilation, we	ar suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.
neral hygiene nsiderations	and before eating, drinking, and/or s	ene measures, such as washing after handling the materia moking. Routinely wash work clothing and protective
	equipment to remove contaminants.	

Appearance

Compressed liquefied gas.

Physical state	Gas.
Form	Compressed liquefied gas.
Color	Colorless.
Odor	Odorless.
Odor threshold	Not available.
рН	Acidic in solution
Melting point/freezing point	-70.6 °F (-57 °C) at 76 psia
Initial boiling point and boiling range	-109.3 °F (-78.5 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	569.1 mm Hg at 179.6°F (82°C)
Vapor density	1.527
Relative density	0.914
Solubility(ies)	
Solubility (water)	88 % at 68°F (20°C)
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Molecular formula	C-02
Molecular weight	44.01 g/mol
Oxidizing properties	Not oxidizing.
Percent volatile	100 %
10. Stability and reactivity	,
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chomical stability	Material is stable under normal conditions

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat. Contact with incompatible materials.
Incompatible materials	Aluminum. Metal carbides. Metal salts. Reducing agents. Water, moisture.
Hazardous decomposition products	Carbon oxides.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation	Suffocation (asphyxiant) hazard - if allowed to accumulate to concentrations that reduce oxygen below safe breathing levels. Prolonged inhalation may be harmful.
Skin contact	Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn").
Eye contact	Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn").
Ingestion	Expected to be a low ingestion hazard.

Carbon Dioxide (Food Grade)

Symptoms related to the physical, chemical and toxicological characteristics	Convulsions. Headache. Dizziness. Fatigue. Nausea, vomiting. Very high exposure can cause suffocation from lack of oxygen. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Asphyxiation may bring about unconsciousness without warning and so rapidly that victim may be unable to protect themself.
Information on toxicological effe	ects
Acute toxicity	Not known.
Skin corrosion/irritation	Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn").
Serious eye damage/eye irritation	Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn").
Respiratory or skin sensitizatior	1
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classified. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Not listed. NTP Report on Carcinogens Not listed.	Evaluation of Carcinogenicity d Substances (29 CFR 1910.1001-1053)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not likely, due to the form of the product.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideration	IS
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
DOT	
	1101012

# UN numberUN1013UN proper shipping nameCarbon dioxide

Transport hazard class(es)			
Class	2.2		
Subsidiary risk	-		
Label(s)	2.2		
Packing group	Not available.		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
Packaging exceptions	306		
Packaging non bulk	302, 304		
Packaging bulk	302, 314, 315		
ΙΑΤΑ			
UN number	UN1013		
UN proper shipping name	Carbon dioxide		
Transport hazard class(es)			
Class	2.2		
Subsidiary risk	-		
Packing group	Not available.		
Environmental hazards	No. 2L		
ERG Code	Read safety instructions, SDS and emergency procedures before handling.		
IMDG	Read salely instructions, SDS and emergency procedures before nariding.		
UN number	UN1013		
UN proper shipping name	CARBON DIOXIDE		
Transport hazard class(es)			
Class	2.2		
Subsidiary risk	-		
Packing group	Not available.		
Environmental hazards			
Marine pollutant	No.		
EmS	F-C, S-V		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
Transport in bulk according to	Not applicable.		
Annex II of MARPOL 73/78 and			
the IBC Code			
General information	Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the		
	event of an accident or an emergency. Before transporting product containers: Ensure that		
	containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet		
	cap nut or plug (where provided) is correctly fitted. Ensure valve protection device (where		
	provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.		
15. Regulatory information			
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication		
	Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)		
Not regulated.			
	CERCLA Hazardous Substance List (40 CFR 302.4)		
Not listed.			
SARA 304 Emergency release notification			
Not regulated.			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)			
Not listed.			
<b>Toxic Substances Control Act (TSCA)</b> This substance is on the TSCA 8(b) inventory and is designated "active".			
Superfund Amendments and Reauthorization Act of 1986 (SARA)			
SARA 302 Extremely hazard	SARA 302 Extremely hazardous substance		
Not listed.			
SARA 311/312 Hazardous	Yes		
chemical			

Classified hazard	
categories	

#### SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug	Total food additive
Administration (FDA)	Direct food additive
( )	GRAS food additive

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

Carbon Dioxide (Food Grade) (CAS 124-38-9)

US. New Jersey Worker and Community Right-to-Know Act

Carbon Dioxide (Food Grade) (CAS 124-38-9)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Carbon Dioxide (Food Grade) (CAS 124-38-9)

#### US. Rhode Island RTK

Carbon Dioxide (Food Grade) (CAS 124-38-9)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date	20-May-2020
Revision date	-
Version #	01
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 3



Disclaimer

NOTICE: The information contained in this document is based on data considered to be accurate as of the preparation date of this Safety Data Sheet (SDS) and was prepared pursuant to applicable Government regulation(s). This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the above data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided about any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. Purchasers and users of the product are responsible for determining that this product is suitable for the intended use and application. No responsibility can be assumed by vendor for any damage or injury resulting from failure to adhere to recommended uses, or from any hazards inherent to the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product should explicitly advise their employees, agents, contractors and customers who will use the product of this SDS.